



... for a brighter future



U.S. Department
of Energy

UChicago ►
Argonne_{LLC}



**Office of
Science**
U.S. DEPARTMENT OF ENERGY

A U.S. Department of Energy laboratory
managed by UChicago Argonne, LLC

Framing the Renewal Proposal

Paul Fuoss, APSUO Representative

Define the context
and the goals of
the Renewal
proposal

- How it supports the DOE mission
- Why it is good for users
- Why it is scientifically compelling



... for a brighter future



U.S. Department
of Energy

UChicago ►
Argonne_{LLC}



Office of
Science
U.S. DEPARTMENT OF ENERGY

A U.S. Department of Energy laboratory
managed by UChicago Argonne, LLC

Framing the Renewal Proposal

Paul Fuoss, APSUO Representative

Define the context
and the goals of
the Renewal
proposal

- How it supports the DOE mission
- Why it is good for users
- Why it is scientifically compelling



Developing the overall framework
that will support the structure of
the APS Renewal



... for a brighter future



U.S. Department
of Energy

UChicago ►
Argonne_{LLC}



**Office of
Science**
U.S. DEPARTMENT OF ENERGY

A U.S. Department of Energy laboratory
managed by UChicago Argonne, LLC

Framing the Renewal Proposal

Paul Fuoss, APSUO Representative

Define the context
and the goals of
the Renewal
proposal

- How it supports the DOE mission
- Why it is good for users
- Why it is scientifically compelling



Challenging because it must take
into account the existing user
programs and infrastructure.


Overview

- **Strategic Context for the APS Renewal**
- Summary of Science Case Reports
- Mapping of Instrumentation Proposals onto Science Thrusts
- Going beyond the Instrumentation Proposals
- Summary - The Next Steps

Strategic Context - Competing Facilities

There are at least 10 third generation synchrotron sources in the world. All compete with APS in some aspect.

But the primary competition is with other high energy machines and U.S. facilities.




Source	Type	Critical Energy	Beamlines
ALS	3 rd	3.2 keV	43
		Super-Bend 12 keV	
APS	3rd	19.5 keV	60
ESRF	3 rd	20.3 keV	49
LCLS		N/A	6
NSLS	2 nd	7.1 keV	65
NSLS II	3 rd	2.4 keV	<58
PETRA III	3 rd	20.8 keV	14
SPring 8	3 rd	28.9 keV	48
SSRL	++2 nd	7.5 keV	34

Strategic Context - Weaknesses of the APS

- **Complex physical and organizational arrangement of beamlines and science programs.**
- **Many beamlines were initially configured with marginal facilities.**
- **Most beamlines are >10 years old and have not been updated to take advantage of the capabilities of the storage ring.**
- **Accelerator infrastructure is fifteen years old.**
- **Programs are constrained by the physical infrastructure**
 - Size of the experimental floor limits length of beamlines
 - Availability of office space is limited
 - Laboratory facilities are often inadequate for current programs

Strategic Context - Strengths of the APS

- **An exceptional accelerator complex**
 - best storage ring reliability in the world
 - very good electron brightness and current
 - large ring offers great flexibility for rearranging electron optics
- **High energy x-rays offer great flexibility**
 - penetrate through thick samples and environmental chambers
 - simplified scattering geometries because of
- **Some experimental facilities are best in class**
- **World leading scientific programs in some disciplines**



Overview

- *Strategic Context for the APS Renewal*

- **Summary of Science Case Reports**

- Interfacial Sciences
- Materials Science and Technology
- Chemical Science and Engineering
- Condensed Matter and Materials Physics
- Fundamental Interactions in AMO Physics
- Macromolecular Crystallography
- Geological, Environmental and Planetary
- Polymers and Soft Materials
- Life Sciences
- Engineering Applications and Applied Research

^RMaterials^RConditions^RTime


Mastering Hierarchy

- Mapping of Instrumentation Proposals onto Science Thrusts
- Going beyond the Instrumentation Proposals
- Summary - The Next Steps

Workshop - Interfacial Sciences

Opportunities

- Explore the spatial and temporal behavior of interfacial reactivity in complex environments (i.e. Belousov-Zhabotinsky reactions).
- Construct and characterize complex materials with emergent interface properties such as $\text{LaAlO}_3\text{-SrTiO}_3$.
- Develop detailed models of the atomic level processes occurring during growth of materials using techniques such as PLD, MOCVD and ALD.
- Examine the mechanisms at buried interfaces that limit the performance and lead to degradation and failure of devices such as fuel cells.
- Use XPCS to examine the intrinsic fluctuations and phase transitions at surfaces and buried interfaces.




Needed Capabilities

- Development of the X-Ray Interfacial Science facility with facilities for large, complex experiments.
- Fast readout, high dynamic range x-ray area detectors and associated data collection and visualization software.
- Optics and infrastructure to support x-ray microscopies such as XRM.
- Coherent x-ray beams and sample manipulation technology to enable coherent x-ray microscopy.

Workshop - Materials Science and Technology

Opportunities

- Identification and control of phases and processes relevant to crystal growth.
- Determination of the properties of materials under transient compression.
- Understanding rare, stochastic events behind nucleation, crack initiation and other seemingly random events using time-reversal imaging.
- Measuring strain in nanometer scale devices such as semiconductor devices.
- Time-resolved structural response of materials to applied electric and magnetic fields.
- Characterization and control of the interface between engineered materials and biological systems.




Needed Capabilities

- Full-field microscopy and topography
- Nanodiffraction with beam spots smaller than 10 nm.
- Fast readout, high dynamic range x-ray area detectors.
- Improved energy dispersive detectors.
- Short pulse x-ray source for time-resolved studies.

Workshop - Chemical Science and Engineering

Opportunities

- Improved understanding of metal-ion speciation in solution including coordination, ligation and oligomerization.
- Determining the time-dependent structure of complex catalytic nanoparticles under differing reaction conditions.
- Developing catalysts with selectivity approaching that of biological systems.
- Relationship of solution-electrode interface to the stability and efficiency of fuel cells.
- Developing compositions and synthesis methods for non-noble nanoparticle materials for high efficiency fuel cells.




Needed Capabilities

- Powder diffraction with an emphasis on in situ analysis for determining the structure of nanometer sized clusters.
- EXAFS and XANES with differential, spatial and time-resolved capabilities.
- SAXS and GISAXS including resonant (anomalous) scattering.
- New spectroscopies incorporating high energy resolution fluorescence analysis (HERF) and resonant inelastic x-ray scattering (RIXS).

Workshop - Condensed Matter and Materials Physics

Opportunities

- Developing fundamental insights into:
 - emergence of complex phenomena from simple ingredients.
 - correlated electron/atom systems.
 - integration of materials with competing properties (i.e. ferromagnetic and superconducting).
 - “design rules” governing 3D structure and properties of soft materials.
 - the physics of the nanoworld.
 - phase transitions and self-assembly.
- Use insights to develop:
 - high efficiency, low cost photovoltaic devices.
 - improved thermoelectric materials.
 - materials for advanced semiconductor devices including spintronics, optical computing, opto-electronics and quantum computing.




Needed Capabilities

- Broad range of specialized, high performance techniques including inelastic, magnetic, ultra-fast and coherent x-ray scattering.
- Combinations of extreme environments including high and low temperature, magnetic fields, ultra-short EM pulses and shock waves.
- In situ processing and synthesis, ideally in portable systems to take advantage of specialized beamlines.

Workshop - Fundamental Interactions in AMO Physics

Opportunities

- Control dynamic processes at the atomic and molecular level, particularly electron and atomic motion.
- Development of x-ray phenomena such as electromagnetically induced transparency for novel x-ray devices.
- Determine the structure of chemical transition states.
- Field-free molecular alignment enabling angle resolved photoelectron and Auger spectroscopy of molecules.
- Measuring the dynamics response of nanomagnetic materials, nonlinear optical materials, ferroelectric and multiferroic devices, and metamaterials to applied fields.




Needed Capabilities

- Development of SPX source, a high flux picosecond x-ray source based on Zholents rf-deflection cavity approach..
- High repetition rate, high intensity laser facility.
- Suitable sample and environmental chambers to perform gas phase spectroscopy.
- X-ray optics to make efficient use of the much different x-ray phase space of the SPX source

Workshop - Macromolecular Crystallography

Opportunities

- Greatly expand the range of proteins and protein complexes whose structure can be determined using microbeams to study
 - micron sized crystals
 - highly ordered regions in non-uniform crystals
- Understand the interplay between structure, dynamics and function through the use of time-resolved x-ray crystallography




Needed Capabilities

- Fast readout, high dynamic range x-ray area detectors
- Optics and beam stability improvements to support micro-x-ray crystallography.
- Micro-mechanical systems for high stability and precise alignment of crystals.
- Advanced Protein Crystallization Facility

Workshop - Geological, Environmental and Planetary

Opportunities

- Improving knowledge of the complex mineral-fluid interface to make efficient and intelligent use of natural resources.
- Determining the composition, reactivity and transport of geologically and environmentally formed nanoparticles.
- Improved detection capability for trace elements will aid in understanding 3D transport in porous media.
- Determining the microenvironment (the few cubic microns adjacent to actively metabolizing cell surfaces) is crucial to predicting the fates of contaminants.
- Synchrotron tools provide a crucial tool in understanding interplanetary dust and comet particles, and thus the evolution of our solar system and the universe.




Needed Capabilities

- Higher intensity x-ray microprobes and nanoprobes.
- High performance spectroscopic detectors.
- Improved high pressure capabilities for simulating planetary interior conditions.
- Tomographic x-ray diffraction and spectroscopy imaging.

Workshop - Polymers and Soft Materials

Opportunities

- Understand the structure and dynamics of emulsified heterogeneous fuels in order to improve extraction and combustion technologies.
- Explore structure-property correlations in organic electronics, control those correlations and improve device performance.
- Measure the dynamics of polymer systems, including 'beta' processes near glass transitions using XPCS.
- Elucidate the mechanisms and interactions of molecular self-assembly at interfaces and create better ordered organic thin films.
- Understand the distribution of ions near liquid-liquid and liquid-vapor interfaces.




Needed Capabilities

- Liquid interface instrument optimized for 30 keV - 80 keV photons
- Area detectors with improved spatial resolution.
- SAXS, GISAXS, XSW, SXRF microscopy, XPCS and TXM instruments.
- Capability to perform measurements with sample cooled to cryogenic temperatures.

Workshop - Life Sciences

Opportunities

- Use solution scattering to determine the molecular dynamics of membrane proteins, enzymes undergoing catalysis, and structure evolution during protein folding.
- Large field, x-ray phase contrast imaging has great potential such as:
 - determining the flow of fluids (e.g. respiration or blood) through small organisms.
 - exploring evolution of organisms through the fossil record.
 - seeing the impact of drugs (e.g. asthma medications) on biological structures.
- Use x-ray nanoprobes to determine the structure and mechanisms of metal atoms in cells.
- Use x-ray imaging and x-ray scattering to determine the response (e.g. internal strain) of biomaterials under load.




Needed Capabilities

- Bionanoprobe capable of microscopy, micro-spectroscopy, spectro-microscopy and nano-CT
- Wide field x-ray phase imaging
- Coherent diffraction imaging.
- ISAXS/WAXS/fiber diffraction.
- Cryopreservation infrastructure
- Improved detectors with high dynamic range and high spatial resolution
- Advanced Protein Crystallization Facility

Workshop - Engineering Applications and Applied Research

Opportunities

- High brightness, high energy x-ray beams offer unique advantages for non-destructive imaging.
- Detection of minor phases at interfaces of real materials will provide important insight into the performance of materials in extreme environments.
- In situ studies of dislocation behavior near surfaces and interfaces will provide crucial data for multiscale modeling of materials.
- Transient phase detection during materials processing (e.g. heat treating) will test theories and clarify pathways towards ideal microstructures.
- Performance of materials under dynamic deformation is fundamentally different and is important for national security.



Needed Capabilities

- Complete upgrade of 1-ID
- Polychromatic nanoprobe
- High-energy, energy-dispersive beamline
- Dedicated high-energy tomography station with phase contrast sensitivity
- Additional capacity for high-energy x-ray measurement of aggregate stress/strain/texture

Overview

- *Strategic Context for the APS Renewal*
- *Summary of Science Case Reports*
- **Mapping of Instrumentation Proposals onto Science Thrusts**
- Going beyond the Instrumentation Proposals
- Summary - The Next Steps

Proposals supporting Hierarchical Imaging

- **Advanced X-ray Imaging Collaborative Development Team**
- **BioNanoProbe**
- Dynamic Compression CAT
- Sector 8-BM Redevelopment
- Short Pulse X-rays at the APS
- X-ray High Field Collaborative Development Team
- X-ray Interfacial Science Collaborative Development Team
- **A Dedicated High-Energy X-ray Beamline for the Studying the Mechanical Behavior of Materials**
- **Medium-Term (5 year) Plan for the Development of High Energy Diffraction Microscopy (HEDM)**
- High Resolution Powder Diffraction at the APS
- **Mid-Term Plan for 2-BM Upgrade: Integration of Microtomography and Nanotomography Capabilities at Beamline 2-BM**
- **2-ID Mid-Term Upgrade Plan**
- μ eV-resolution X-ray Spectroscopy
- Optics and instrumentation upgrades for electronic and magnetic materials research at beamline 4-ID-C
- Optics and instrumentation upgrades for hard x-ray magnetic spectroscopy research at beamline 4-ID-D
- DND-CAT Medium-Term Upgrade Proposal
- Optics and instrumentation upgrades for resonant scattering and diffraction research at beamline 6-ID
- Beamline 7ID Mid-term Upgrade plan
- Extraordinary new Time-Resolved Capabilities for XPCS and GISAXS
- Catalyst Center at 9-BM
- Enhancement of Scientific Facilities for Medium-Energy-Resolution Inelastic Scattering and Liquid Surface Scattering at Beamline 9-ID
- Study of Complex Materials and NanoStructures Using Hard X-ray Photoemission Spectroscopy
- The Next-Generation Pair-Distribution-Function Beamline (NG-11IDB) Upgrade of Laser Initiated Time-Resolved X-ray Facility for Photochemical Research
- Development of Dedicated SAXS Beamlines at 12-ID with Canted Undulators
- Canted Undulator Upgrade for GeoSoilEnviroCARS Sector 13
- Medium-term upgrades enabling new science at BioCARS
- Directing and Controlling Matter under Extreme Pressures and Temperatures: An integrated approach with at least one order of magnitude improvement in spatial, temporal, diffraction, and energy resolution at HPCAT 16-ID
- **Proposal to Upgrade the BioCAT Beamline 18ID to a Dual-Inline Undulator A Configuration**
- Canted Undulator upgrade at Sector 20 providing a high throughput dedicated Micro-XAFS station
- Nanoscale Phenomena Near Phase Transitions via Temperature-dependent Nanodiffraction
- **Multilayer Laue Lens Microscope: Nanometer Imaging with Hard X-rays**
- Midterm Upgrade Proposal for 30-ID XOR/IXS Beamline
- **Mid-term plan for 32-ID Upgrade**
- Surface and Interfacial Science at the APS
- **Science Opportunities for 3D x-ray diffraction microscopy - Sector 34**
- **Medium-Term Upgrade Proposal for Dedicated Coherent X-ray Diffraction Facility at 34-ID**
- Frontier science by adding pressure as a new dimension at APS beamlines: HPSynC upgrade
- A High-Energy Bending-Magnet Beamline
- High-field magnet development for x-ray scattering and spectroscopy studies
- A micro-focused, multi-probe high energy x-ray beamline for measurements at extreme conditions
- Microminiature XBPM and Flux Monitor for High-Flux Micro-Focused Hard X-ray Beams
- A new ultra-high sensitivity intermediate energy x-ray magnetic circular dichroism facility
- **Strengthening x-ray detector development and support efforts at the APS**
- Structural Science Using Tunable High-Energy Synchrotron X-Ray Source
- **Support Structure for Pixel Array Detectors**
- **Test-bed for Nanopositioning Technique Enhancement**
- Ultrafast-Detector upgrades
- **Understanding the experiments of the future**
- **X-Ray BPM System Enhancement**

Proposals supporting ^RMaterials^RConditions^RTime

- Advanced X-ray Imaging Collaborative Development Team
- BioNanoProbe
- **Dynamic Compression CAT**
- Sector 8-BM Redevelopment
- **Short Pulse X-rays at the APS**
- **X-ray High Field Collaborative Development Team**
- **X-ray Interfacial Science Collaborative Development Team**
- A Dedicated High-Energy X-ray Beamline for the Studying the Mechanical Behavior of Materials
- Medium-Term (5 year) Plan for the Development of High Energy Diffraction Microscopy (HEDM)
- **High Resolution Powder Diffraction at the APS**
- Mid-Term Plan for 2-BM Upgrade: Integration of Microtomography and Nanotomography Capabilities at Beamline 2-BM
- 2-ID Mid-Term Upgrade Plan
- μ eV-resolution X-ray Spectroscopy
- Optics and instrumentation upgrades for electronic and magnetic materials research at beamline 4-ID-C
- Optics and instrumentation upgrades for hard x-ray magnetic spectroscopy research at beamline 4-ID-D
- DND-CAT Medium-Term Upgrade Proposal
- Optics and instrumentation upgrades for resonant scattering and diffraction research at beamline 6-ID
- Beamline 7ID Mid-term Upgrade plan
- **Extraordinary new Time-Resolved Capabilities for XPCS and GISAXS**
- **Catalyst Center at 9-BM**
- Enhancement of Scientific Facilities for Medium-Energy-Resolution Inelastic Scattering and Liquid Surface Scattering at Beamline 9-ID
- Study of Complex Materials and NanoStructures Using Hard X-ray Photoemission Spectroscopy
- **The Next-Generation Pair-Distribution-Function Beamline (NG-11IDB) Upgrade of Laser Initiated Time-Resolved X-ray Facility for Photochemical Research**
- **Development of Dedicated SAXS Beamlines at 12-ID with Canted Undulators**
- **Canted Undulator Upgrade for GeoSoilEnviroCARS Sector 13**
- Medium-term upgrades enabling new science at BioCARS
- **Directing and Controlling Matter under Extreme Pressures and Temperatures: An integrated approach with at least one order of magnitude improvement in spatial, temporal, diffraction, and energy resolution at HPCAT 16-ID**
- Proposal to Upgrade the BioCAT Beamline 18ID to a Dual-Inline Undulator A Configuration
- **Canted Undulator upgrade at Sector 20 providing a high throughput dedicated Micro-XAFS station**
- Nanoscale Phenomena Near Phase Transitions via Temperature-dependent Nanodiffraction
- **Multilayer Laue Lens Microscope: Nanometer Imaging with Hard X-rays**
- Midterm Upgrade Proposal for 30-ID XOR/IXS Beamline
- Mid-term plan for 32-ID Upgrade
- **Surface and Interfacial Science at the APS**
- Science Opportunities for 3D x-ray diffraction microscopy - Sector 34
- Medium-Term Upgrade Proposal for Dedicated Coherent X-ray Diffraction Facility at 34-ID
- Frontier science by adding pressure as a new dimension at APS beamlines: HPSynC upgrade
- A High-Energy Bending-Magnet Beamline
- High-field magnet development for x-ray scattering and spectroscopy studies
- A micro-focused, multi-probe high energy x-ray beamline for measurements at extreme conditions
- Microminiature XBPM and Flux Monitor for High-Flux Micro-Focused Hard X-ray Beams
- A new ultra-high sensitivity intermediate energy x-ray magnetic circular dichroism facility
- **Strengthening x-ray detector development and support efforts at the APS**
- Structural Science Using Tunable High-Energy Synchrotron X-Ray Source
- **Support Structure for Pixel Array Detectors**
- **Test-bed for Nanopositioning Technique Enhancement**
- **Ultrafast-Detector upgrades**
- Understanding the experiments of the future
- **X-Ray BPM System Enhancement**

Remaining Proposals

- Advanced X-ray Imaging Collaborative Development Team
- BioNanoProbe
- Dynamic Compression CAT
- **Sector 8-BM Redevelopment**
- Short Pulse X-rays at the APS
- X-ray High Field Collaborative Development Team
- X-ray Interfacial Science Collaborative Development Team
- A Dedicated High-Energy X-ray Beamline for the Studying the Mechanical Behavior of Materials
- Medium-Term (5 year) Plan for the Development of High Energy Diffraction Microscopy (HEDM)
- **High Resolution Powder Diffraction at the APS**
- Mid-Term Plan for 2-BM Upgrade: Integration of Microtomography and Nanotomography Capabilities at Beamline 2-BM
- 2-ID Mid-Term Upgrade Plan
- **μ eV-resolution X-ray Spectroscopy**
- **Optics and instrumentation upgrades for electronic and magnetic materials research at beamline 4-ID-C**
- **Optics and instrumentation upgrades for hard x-ray magnetic spectroscopy research at beamline 4-ID-D**
- **DND-CAT Medium-Term Upgrade Proposal**
- **Optics and instrumentation upgrades for resonant scattering and diffraction research at beamline 6-ID**
- **Beamline 7ID Mid-term Upgrade plan**
- Extraordinary new Time-Resolved Capabilities for XPCS and GISAXS
- Catalyst Center at 9-BM
- **Enhancement of Scientific Facilities for Medium-Energy-Resolution Inelastic Scattering and Liquid Surface Scattering at Beamline 9-ID**
- Study of Complex Materials and NanoStructures Using Hard X-ray Photoemission Spectroscopy
- The Next-Generation Pair-Distribution-Function Beamline (NG-11IDB) Upgrade of Laser Initiated Time-Resolved X-ray Facility for Photochemical Research
- Development of Dedicated SAXS Beamlines at 12-ID with Canted Undulators
- Canted Undulator Upgrade for GeoSoilEnviroCARS Sector 13
- **Medium-term upgrades enabling new science at BioCARS**
- Directing and Controlling Matter under Extreme Pressures and Temperatures: An integrated approach with at least one order of magnitude improvement in spatial, temporal, diffraction, and energy resolution at HPCAT 16-ID
- Proposal to Upgrade the BioCAT Beamline 18ID to a Dual-Inline Undulator A Configuration
- Canted Undulator upgrade at Sector 20 providing a high throughput dedicated Micro-XAFS station
- **Nanoscale Phenomena Near Phase Transitions via Temperature-dependent Nanodiffraction**
- Multilayer Laue Lens Microscope: Nanometer Imaging with Hard X-rays
- **Midterm Upgrade Proposal for 30-ID XOR/IXS Beamline**
- Mid-term plan for 32-ID Upgrade
- Surface and Interfacial Science at the APS
- Science Opportunities for 3D x-ray diffraction microscopy - Sector 34
- Medium-Term Upgrade Proposal for Dedicated Coherent X-ray Diffraction Facility at 34-ID
- **Frontier science by adding pressure as a new dimension at APS beamlines: HPSynC upgrade**
- **A High-Energy Bending-Magnet Beamline**
- **High-field magnet development for x-ray scattering and spectroscopy studies**
- A micro-focused, multi-probe high energy x-ray beamline for measurements at extreme conditions
- **Microminiature XBPM and Flux Monitor for High-Flux Micro-Focused Hard X-ray Beams**
- **A new ultra-high sensitivity intermediate energy x-ray magnetic circular dichroism facility**
- Strengthening x-ray detector development and support efforts at the APS
- Structural Science Using Tunable High-Energy Synchrotron X-Ray Source
- Support Structure for Pixel Array Detectors
- Test-bed for Nanopositioning Technique Enhancement
- Ultrafast-Detector upgrades
- Understanding the experiments of the future
- X-Ray BPM System Enhancement

Overview

- *Strategic Context for the APS Renewal*
- *Summary of Science Case Reports*
- *Mapping of Instrumentation Proposals onto Science Thrusts*
- **Going beyond the Instrumentation Proposals**
 - Instrumentation proposals were developed in the context of specific beamlines.
 - Significant opportunities are created by making the problem bigger.
 - Need a vision that is greater than the sum of its parts.
- Summary - The Next Steps

Sum of Parts - Detectors

- A large effort on detectors can yield breakthroughs that extend beyond the APS to the entire synchrotron community.
- Most detectors efforts need to target a significant market to reach economies of scale.
- Large effort can only be afforded by spreading the cost across the entire facility (entire synchrotron community?).
- Don't let the best be the enemy of the ~~good~~ much better.

Sum of Parts - New Optics, Nanomechanics and Detectors

- A broadband source like the APS needs achromatic optics to fully use the available photons.
- State of the art optics can produce 20 nm spot sizes but before they can be used for routine experiments, improvements are needed in:
 - electron source stability
 - optics mounts and control
 - sample manipulation
 - post sample x-ray optics
 - detectors
- A breakthrough effort spanning such diverse areas will not be accomplished by a single scientific group or a small team.

Sum of Parts - Time Resolved Studies

- Half of the Science teams reported a need for ultra-fast x-ray beams.
- These efforts span a large number of techniques, more than can be accommodated on one or two sectors.
- The SPX facility would feed more sectors but those need to be contiguous.
- Optimal use of the SPX facility requires the relocation of several beamlines.

Sum of Parts - From Beamlines to Instruments

- Current synchrotron practice requires a staff scientist to be available full time to help users.
- Many synchrotron experiments are no more complex than an atomic force microscope (AFM). At most laboratories, AFM's are routinely operated by students and post-docs after a short training session.
- Effective automation and controls would allow APS beamlines to be operated in a similar manner, freeing both staff and users to be more productive.
- Making this leap requires significant investment from a diverse set of groups to create
 - stable, reproducible optics
 - sophisticated interfaces with good user retention
 - diagnostics to determine when experts must be called
- Instruments produce **Better Science** through **Reproducible Performance**.

Sum of Parts - Breaking Through the Wall

- There is a very large cost associated with the first beamline that breaches the walkway and out of the APS experimental hall.
- There are numerous efforts that would benefit by this expansion
 - Long imaging beamline
 - Interface sciences facility
 - High magnetic field laboratory
- APS site constraints mean that there are only certain areas suitable for exterior expansion.
- Clustering these efforts (which implies moving existing beamline programs) can spread the cost and make all of them more affordable.

Overview

- *Strategic Context for the APS Renewal*
- *Summary of Science Case Reports*
- *Mapping of Instrumentation Proposals onto Science Thrusts*
- *Going beyond the Instrumentation Proposals*
- **Summary - The Next Steps**

Summary - Next Steps for the APS Renewal

- Create a report from the Science Workshop
- Form study team to create documentation for CD-0
 - Focus on what beamlines are required for a world class programs in Hierarchical Imaging and ^RMaterials^RConditions^RTime.
 - Instrumentation proposals address “what upgrades would make my beamline world-class”.
- Work with the users to generate additional concepts
 - Renewal will be focus of the Users Meeting